APPENDIX 3

January 31, 2006

BSA MATRIX - JANUARY 2006

The following report shows the relationship between the Basic Serving Arrangements (BSAs) and the Basic Service Elements (BSEs) included in the ONA Services User Guide Service Description Section issued January 31, 2006. This report was created to respond to a request from the Information Industry Liaison Committee (IILC), documented in IILC Issue #035.

The first matrix is a summary of the first section of the ONA Services User Guide Service Descriptions Section. It lists the generic name for each BSA with each LEC's name for the BSA (if the LEC company is offering it).

The matrices that follow list each of the generic BSA names, with a table entry of "BSA" for each LEC offering it. Then the generic name of each ONA service available with that BSA is listed, with an entry of "BSE" for BSE or "BSA" if the LEC has indicated that the service is available with the BSA but not as a separate BSE option. These matrices do not include the Complementary Network Services (CNS) or any region specific services.

BSA NAMES & LEC BSA NAME REFERENCES

| GENERIC NAME OF BSA | LEC BSA NAME |
|---|---|
| Category 1, Type A - Circuit Switched Line BSA | AM - Circuit Switched Line BA - Business Individual Line BA - Line Side BSA BA - Line Side BSA - FX BA - Line Side BSA - IC BS - Voice Grade - Line - Circuit Switched NX - Circuit Switched - Line PB - Access Line Arrangement SWB - Circuit Switched - Line Side Basic Serving Arrangement (BSA-A) Qwest - Voice Grade - Line - Circuit Switched |
| Category 1, Type B - Circuit Switched Trunk BSA | AM - Circuit Switched Trunk BA - Trunkside BSA BA - Trunkside BSA - 950 Option BA - Trunkside BSA - 10XXX Option BS - Circuit Switched Trunk - Voice Grade NX - Circuit Switched Trunk PB - Access Trunk Arrangement (950) PB - Access Trunk Arrangement (10XXX) SWB - Circuit Switched - Trunk Side Alternative B BSA (BSA-B) SWB - Circuit Switched - Trunk Side Alternative D BSA (BSA-D) Qwest - Voice Grade - Trunk - Circuit Switched |
| Category 2, Type A - X.25 Packet Switched BSA | AM - Packet Switched Network Service (X.25) BA - Public Data Network: X.25 BS - PulseLink® Packet Switching - X.25 NX - INFOPATH® Packet Switching Service PB - Public Packet Switching (X.25) SWB - Packet Switched - MicroLink II SM (X.25 Version) Qwest - Packet Switching (X.25) |

PulseLink is a registered trademark of BellSouth.
 INFOPATH is a registered service mark of NYNEX.
 MicroLink II is a registered service mark of Southwestern Bell Telephone.

| GENERIC NAME OF BSA | LEC BSA NAME |
|--|---|
| Category 2, Type B - X.75 Packet Switched BSA | AM - Packet Switched Network Service (X.75) BA - Public Data Network: X.75 BS - PulseLink® Packet Switching - X.75 NX - INFOPATH® Packet Switching Service PB - Public Packet Switching (X.75) SWB - Packet Switched - MicroLink II SM (X.75 Version) Qwest - Packet Switching (X.75) |
| Category 3, Type A - Dedicated Metallic BSA | BA - Dedicated Metallic NX - Dedicated - Metallic PB - Metallic Service SWB - Special Access - Metallic Qwest - Analog PLS - DCCS |
| Category 3, Type B - Dedicated Telegraph BSA | BA - Dedicated Telegraph NX - Dedicated - Telegraph PB - Telegraph Grade Service Qwest - Analog PLS - LSDS |
| Category 3, Type C - Dedicated Voice Grade BSA | AM - Direct Analog BA - Dedicated Voice-Grade BA - Voice Grade Service BS - Dedicated - Private Line NX - Dedicated - Voice Grade PB - Voice Grade Service SWB - Special Access - Voice Grade Qwest - Analog PLS - VGS |

[®] PulseLink is a registered trademark of BellSouth.

[®] INFOPATH is a registered service mark of NYNEX.

SM MicroLink II is a registered service mark of Southwestern Bell Telephone.

| GENERIC NAME OF BSA | LEC BSA NAME |
|--|--|
| Category 3, Type D - Dedicated Program Audio BSA | AM - Dedicated Program Audio |
| Campber, 2, 2, per 2 Continue to Gram tames 25.1 | BA - Dedicated Program Audio |
| | |
| | BA – Program Audio Service |
| | BS - Dedicated Program Audio NX - Dedicated - Program Audio |
| | PB - Program Audio Service |
| | SWB - Special Access - Program Audio |
| | Qwest - Analog PLS - AS |
| | Qwest - Alianog FLS - AS |
| Category 3, Type E - Dedicated Video BSA | AM - Dedicated Video |
| | BA - Dedicated Video Service |
| | BA – Video Service |
| | BS - Dedicated Video |
| | NX - Dedicated - Video |
| | PB - Video Service |
| · | SWB - Special Access - Video |
| | Qwest - Analog PLS - VS |
| Cotonomia Timo E. Dodinoted Dinitel | AM Americanh Pers Res Coming |
| Category 3, Type F - Dedicated Digital | AM - Ameritech Base Rate Services |
| (< 64 kbps) BSA | BA - Digital Data Service |
| | BS - SynchroNet® /DDS |
| | NX - Dedicated - Digital Data |
| | NX – Digital Data Service PB - Digital Data Service, Private Line Services |
| | SWB - Special Access - MegaLink SM Data |
| | |
| | Qwest - Digital Data Service |
| Category 3, Type G - Dedicated High | AM - Ameritech DS1 Services |
| Capacity Digital (1.544 Mbps) BSA | BA - High Capacity Digital Service |
| | BS - MegaLink® /HiCap |
| | NX - Superpath - 1.544 Mbps |
| | NX - Superpath Optical 1.5 Mbps Service |
| | PB - High Capacity Services (1.544 Mbps) |
| | SWB - Special Access - High Capacity (1.544 Mbps) |
| | Qwest - DS1 Service |
| | |

[®] SynchroNet is a registered service mark of BellSouth.

SM MegaLink is a service mark of Southwestern Bell Telephone.

® MegaLink is a registered service mark of BellSouth.

| GENERIC NAME OF BSA | LEC BSA NAME |
|---|--|
| Category 3, Type H - Dedicated High Capacity Digital (> 1.544 Mbps) BSA | AM - Ameritech DS3 Services BA - High Capacity/Lightwave Service BS - LightGate®/HiCap NX - Dedicated - Digital - 45 Mbps NX - Superpath 45 Mbps Service PB - High Capacity Services (> 1.544 Mbps) SWB - Special Access - High Capacity MegaLink SM Custom Owest - DS3 Service |
| Category 3, Type I - Dedicated Alert Transport BSA | BA - REACT SM BA - Alarm Transport Service BS - WATCHALERT [®] NX - PULSENET SM Alert Transport Service PB - POLLSTAR SM DLC Security Transport |
| Category 3, Type J - Dedicated Derived Channel BSA | BA - Dedicated Derived Channel BS - Derived Data Channel Service NX - DOVPATH® SWB - DovLink SM Qwest - Simultaneous Voice and Data Service |
| Category 3, Type K - Dedicated Digital (64 kbps) BSA | AM - Ameritech Base Rate Service BA - Digital Data Service 64 KBS BS - DS-0 Transport Facilities NX - Clear Channel Capability (see NYNEX note 1) ¹ Qwest - Digital Data Service - 64 Kbps |

[®] LightGate is a registered service mark of BellSouth. SM REACT is a service mark of Bell Atlantic.

^{**}WATCHALERT is a registered service mark of BellSouth.

SM PULSENET is a service mark of NYNEX.

SM POLLSTAR is a service mark of Pacific Bell.

**DOVPATH is a registered service mark of NYNEX.

SM DovLink is a service mark of Southwestern Bell Telephone.

¹ NYNEX note 1: NYNEX offers 64 Kbps service associated with the Dedicated High Capacity Digital (1.544 Mbps) BSA.

| GENERIC NAME OF BSA | LEC BSA NAME | | | | | | |
|--|---|--|--|--|--|--|--|
| Category 4 - Dedicated Network Access Link BSA | AM - Dedicated Network Access Link | | | | | | |
| | AM - Type A-Signal Transfer Point Access (STP) | | | | | | |
| | AM - Type B-Circuit Switch Facility Control (CSFC) | | | | | | |
| | AM - Type C-Simplified Message Desk Interface (SMDI) | | | | | | |
| | AM - Type D-Simplified Message Desk Interface-Expanded (SMDI-E) | | | | | | |
| | AM - Type E-Ameritech Reconfiguration Service | | | | | | |
| | AM - Type F-Alarm Service | | | | | | |
| | AM - Type G-Ameritech Switch to Computer Applications (ASCAI) | | | | | | |
| | BA - Dedicated Network Access Link | | | | | | |
| | BS - Private Line/Special Access | | | | | | |
| | NX - (see NYNEX note 2) ² | | | | | | |
| | PB - Dedicated Network Access Link | | | | | | |
| | SWB - Special Access - Metallic | | | | | | |
| | SWB - Special Access - Voice Grade | | | | | | |
| | SWB - Switched Access Dedicated Network Access Link | | | | | | |
| | Qwest - Analog PLS | | | | | | |

² NYNEX note 2: NYNEX offers dedicated channels for specific network information or network control information as part of the appropriate BSA or BSE that provides the specific capability.

MATRIX of BSAs & RELATED BSEs

| CATEGORY 1, TYPE A - CIRCUIT SWITCHED LINE BSA | АМ | BA | BS | NX | РВ | SWB | Qwest |
|--|-----|-----|-----|-----|-----|-----|-------|
| GENERIC NAME OF ONA SERVICE | | | | | | | } |
| Answer Supervision With A Line Side Interface | BSE | BSE | BSE | | BSE | | BSE |
| Automatic Callback | | | | | BSE | | |
| Call Detail Recording Reports | | BSE | BSE | BSE | | i | BSE |
| Called Directory Number Delivery via DID | | BSE | BSE | BSE | BSE | | BSE |
| Calling Directory Number Delivery - via ICLID | | BSE | | | BSE | | BSE |
| Carrier Selection On Reverse Charge | | BSE | BSA | BSE | BSA | | |
| Calling DN Delivery - via BCLID | | | BSE | | | | BSE |
| Coin Phone With Post Dialing Tone Capability | | BSA | BSA | | | | BSA |
| Cut Off On Disconnect | | BSA | BSA | BSA | | | |
| DID Trunk Queuing | | BSE | | | BSE | | |
| Faster Signaling On DID | | BSE | BSE | BSE | | | BSA |
| Hot Line | | | | BSE | • | | |
| Make Busy Key | BSE | BSE | BSE | BSE | BSE | | BSE |
| Message Desk (SMDI) | BSE | BSE | BSE | BSE | BSE | _ | BSE |
| Message Waiting Indicator- Activation (Audible) | | BSE | BSE | BSE | BSE | | BSE |
| Multiline Hunt Group | BSE |
| Multiline Hunt Group - C. O. Announcements | BSE | | BSE | BSE | BSE | BSE | BSE |
| Multiline Hunt Group - Individual Access To Each Port In Hunt Group | BSE |
| Multiline Hunt Group - Overflow | BSE | BSE | BSE | BSE | BSE | | BSE |
| Multiline Hunt Group - Uniform Call Distribution Line Hunting | BSE |
| Multiline Hunt Group - UCD With Queuing | BSE |
| Reverse Billing On Circuit Switched Access | | | BSE | | | | |
| Route Diversity | BSE | | | | | BSE | |

| CATEGORY 1, TYPE A - CIRCUIT SWITCHED LINE BSA | AM | BA | BS | NX | РВ | SWB | Qwest |
|---|-----|-----|-----|-----|-----|----------|-------|
| GENERIC NAME OF ONA SERVICE | | | | | | | |
| Selective Call Forwarding | | | | | BSE | <u> </u> | |
| Selective Call Rejection | | | | | BSE | | |
| Three Way Call Transfer | BSE | BSE | BSE | BSE | BSE | | BSE |
| Uniform 7 Digit Access Number - Remote Call Forwarding | | BSE | | | | | |
| Uniform 7 Digit Access Number via Overlay Networking | | | BSE | BSE | | | |
| Warm Line | | | | BSE | | | |

| CATEGORY 1, TYPE B - CIRCUIT SWITCHED TRUNK BSA | AM | ВА | BS | NX | РВ | SWB | Qwest |
|--|-------|--|-----|----------|----------|----------|-------|
| GENERIC NAME OF ONA SERVICE | | | | | | 1 | } |
| Alternate Routing | BSA* | BSE | BSE | BSE | BSA | BSE | BSE |
| Call Detail Recording Reports | BSE | BSE | BSE | † | - | | BSE |
| Called Directory Number Delivery via DID | | BSE | BSE | BSE | BSE | 1 | BSE |
| Called Directory Number Delivery via 900NXX | BSE | BSE | | BSE | | BSA | |
| Calling Billing Number Delivery - FG B Protocol | | BSE | BSE | BSE | <u> </u> | <u> </u> | BSE |
| Calling Billing Number Delivery - FG D Protocol | BSE | BSE | BSE | BSE | BSE | BSE | BSE |
| Carrier Selection On Reverse Charge | BSA** | BSE | BSA | BSE | BSA | | BSA |
| Coin Phone With Post Dialing Tone Capability | | | BSA | | <u> </u> | <u> </u> | † |
| DID Trunk Queuing | | BSE | | | BSE | <u> </u> | BSE |
| Faster Signaling On DID | | | BSE | BSE | 1 | <u> </u> | BSA |
| Flexible ANI Information Digits | BSE | BSE | BSE | BSE | | <u> </u> | BSE |
| Route Diversity . | BSE | | | 1 | | BSE | |
| Tandem Routing | BSA** | BSE | BSE | BSA | BSA | | BSA |

^{*} Ameritech offers this as a BSA feature.

**
For Ameritech, this is a Circuit Switched Trunk BSA alternative.

| CATEGORY 2, TYPE A - X.25 PACKET SWITCHED BSA | AM | BA | BS | NX | PB | SWB | Qwest |
|--|-----|-----|-----|-----|-----|-----|-------|
| GENERIC NAME OF ONA SERVICE | | | | | | | } |
| Call Detail Recording Reports (Packet) | | BSE | | BSE | | BSE | BSE |
| Call Redirection - Packet | BSE |
| Closed User Groups - Packet | BSE |
| Direct Call - Packet | | | BSE | BSE | | | |
| Fast Select Acceptance - Packet | BSE |
| Fast Select Request - Packet | | | BSE | BSE | BSE | BSE | BSE |
| Hunt Groups - Packet | BSE |
| Menu Access Translator- Gateway | | | | | | | BSE |
| Message Waiting Indicator - Packet Access | | | | | | BSE | |
| Preselection for Data Services | | BSE | BSE | BSE | BSE | | |
| Reverse Charge Acceptance - Packet | BSE |
| Route Diversity | BSE | | | | | BSE | |

| CATEGORY 2, TYPE B - X.75 PACKET SWITCHED BSA | AM | BA | BS | NX | PB | SWB | Qwest |
|--|-----|-----|-----|-----|-----|-----|-------|
| GENERIC NAME OF ONA SERVICE | | | 1 - | | | | |
| Call Detail Recording Reports (Packet) | | BSE | | BSE | | BSE | BSE |
| Call Redirection - Packet | | | | BSE | BSE | BSE | BSE |
| Closed User Groups - Packet | BSE |
| Fast Select Acceptance - Packet | BSE |
| Fast Select Request - Packet | | | BSE | BSE | BSE | BSE | BSE |
| Hunt Groups - Packet | | BSE | | BSE | BSE | BSE | |
| Menu Access Translator- Gateway | | | | | | | BSE |
| Message Waiting Indicator - Packet Access | | | | | | BSE | |
| Preselection for Data Services | | BSE | BSE | BSE | BSE | | |
| Reverse Charge Acceptance - Packet | | BSE | BSE | BSE | BSE | BSE | BSE |
| Route Diversity | BSE | | | | | BSE | |

| CATEGORY 3, TYPE A - DEDICATED METALLIC BSA | AM | BA | BS | NX | PB | SWB | Qwest |
|--|----|-----|----|-----|-----|-----|-------|
| GENERIC NAME OF ONA SERVICE | | : | | | | | |
| Bridging | | BSE | | BSE | BSE | BSE | BSE |
| Route Diversity | | BSE | | BSE | | BSE | |

| CATEGORY 3, TYPE B - DEDICATED TELEGRAPH BSA | AM | ВА | BS | NX | PB | SWB | Qwest |
|---|----|-----|----|-----|-----|-----|-------|
| GENERIC NAME OF ONA SERVICE | T | | | | | | |
| Bridging | | BSE | | BSE | BSE | | BSE |
| Route Diversity | | BSE | | BSE | | | |

| CATEGORY 3, TYPE C - DEDICATED VOICE GRADE BSA | AM | BA | BS | NX | PB | SWB | Qwest |
|---|-----|-----|-----|-----|-----|-----|-------|
| GENERIC NAME OF ONA SERVICE | | | | | | | |
| Bridging | BSE |
| Conditioning | BSE |
| Network Reconfiguration | | | | BSE | BSE | | |
| Route Diversity | BSE | BSE | | BSE | | BSE | |

| CATEGORY 3, TYPE D - DEDICATED PROGRAM AUDIO BSA | AM | BA | BS | NX | PB | SWB | Qwest |
|---|-----|-----|-----|-----|-----|-----|-------|
| GENERIC NAME OF ONA SERVICE | | | | L | | \ | \ |
| Bridging | BSE |
| Route Diversity | BSE | BSE | | | | BSE | |

| CATEGORY 3, TYPE E - DEDICATED VIDEO BSA | AM | ВА | BS | NX | PB | SWB | Qwest |
|---|-----|-----|----|----|----|-----|-------|
| GENERIC NAME OF ONA SERVICE | } | | | } | } | \ | |
| Route Diversity | BSE | BSE | | | | BSE | |

| CATEGORY 3, TYPE F - DEDICATED DIGITAL (< 64 kbps) BSA | AM | BA | BS | NX | РВ | SWB | Qwest |
|---|-----|-----|-----|-----|-----|-----|-------|
| GENERIC NAME OF ONA SERVICE | | | | | | | |
| Access To Operations Support Systems Information | | | BSE | | | | |
| Automatic Protection Switching | | BSE | BSE | BSE | BSE | | BSE |
| Bridging | BSE |
| Network Reconfiguration | | | | BSE | BSE | | |
| Route Diversity | BSE | BSE | | BSE | | BSE | |
| Secondary Channel Capability | BSE |
| Statistical Multiplexer | | BSE | | | | | |

| CATEGORY 3, TYPE G - DEDICATED HIGH CAPACITY DIGITAL (1.544 Mbps) BSA | AM | ВА | BS | NX | PB | SWB | Qwest |
|--|-----|-----|-----|-----|-----|-----|-------|
| GENERIC NAME OF ONA SERVICE | | } | } | | } | | } |
| Access To Clear Channel Transmission | BSE | BSE | BSA | BSE | BSE | BSE | BSE |
| Automatic Protection Switching | BSE |
| Extended Superframe Conditioning | BSE | BSA | BSA | BSA | | BSE | BSA |
| Network Reconfiguration | BSE | BSE | } | BSE | BSE | BSE | BSE |
| Route Diversity | BSE | BSE | | BSE | | BSE | |

| CATEGORY 3, TYPE H - DEDICATED HIGH CAPACITY DIGITAL (> 1.544 Mbps) BSA | AM | ВА | BS | NX | PB | SWB | Qwest |
|--|------|-----|-----|-----|-----|-----|-------|
| GENERIC NAME OF ONA SERVICE | | | | | | | |
| Automatic Protection Switching | | BSE | BSE | BSE | BSE | BSE | |
| Network Reconfiguration | | | BSE | BSE | BSE | | BSE |
| Route Diversity | BSE | BSE | | BSE | | BSE | |

| CATEGORY 3, TYPE I - DEDICATED ALERT TRANSPORT BSA | AM | BA | BS | NX | PB | SWB | Qwest |
|---|----|-----|----|-----|-----|-----|-------|
| GENERIC NAME OF ONA SERVICE | } |) | | | | | |
| Route Diversity | | BSE | | BSE | | | |
| Verify Integrity of Subscriber Lines | | | | BSA | BSE | | |

| CATEGORY 3, TYPE J - DEDICATED DERIVED CHANNEL BSA | AM | ВА | BS | NX | PB | SWB | Qwest |
|---|----|-----|----|-----|----|-----|-------|
| GENERIC NAME OF ONA SERVICE | | | | | | | |
| Data Over Voice (DOV) Service | | BSA | | BSA | | | BSA |
| Route Diversity | | BSE | | BSE | | BSE | |

| CATEGORY 3, TYPE K - DEDICATED DIGITAL (64 Kbps) BSA | AM | ВА | BS | NX* | РВ | SWB | Qwest |
|---|-----|----|----|-----|----|-----|-------|
| GENERIC NAME OF ONA SERVICE | | | | | | | |
| Route Diversity | BSE | | | | | | |

^{*} NYNEX note: NYNEX offers 64 Kbps service associated with the Dedicated High Capacity Digital (1.544 Mbps) BSA.

| CATEGORY 4 - DEDICATED NETWORK ACCESS LINK BSA | AM | ВА | BS | NX* | РВ | SWB | Qwest |
|---|-----|-----|-----|-----|-----|-----|-------|
| GENERIC NAME OF ONA SERVICE | | | | | | | } |
| Calling Directory Number Delivery - via BCLID | | | BSE | | BSE | | BSE |
| Make Busy Key | BSE |
| Message Desk (SMDI) | BSE |
| Message Desk (SMDI) - Expanded | BSE | | | | | BSE | BSE |
| Message Waiting Indicator - Activation (Audible) | BSE | BSE | BSE | BSE | BSE | | BSE |
| Message Waiting Indicator - Activation (Audible) - Expanded | BSE | | | | | | BSE |
| Message Waiting Indicator - Activation (Visual) | | | BSE | ! | BSE | | BSE |
| Network Reconfiguration | BSE | BSE | BSE | BSE | BSE | | BSE |
| Route Diversity | BSE | BSE | | | | BSE | |
| Verify Integrity of Subscriber Lines | BSE | | | | BSE | | |

^{*} NYNEX note: NYNEX offers dedicated channels for specific network information or network control information as part of the appropriate BSA or BSE that provides the specific capability.

ATTACHMENT 4